


# **JUMP<sup>®</sup>KING**

## **Trampolines**

### **User Guide**



**12ft x 16ft Oval Combo**  
**3,7m x 4,9m**



**WARNING:** Read these assembly instructions carefully before attempting to assemble or use this product. Keep this user guide in a safe place for future reference.

## IMPORTANT INFORMATION

- . WARNING! ADULT SUPERVISION & GUIDANCE REQUIRED AT ALL TIMES.
- . Recommended age 6+ years.
- . No somersaults or flips - can cause serious injury.

### WARNINGS!

- . Only for domestic use.
- . Maximum user weight limit 140 kg.
- . Not suitable for children under 36 months - small parts, choking hazard.
- . Outdoor use only.
- . The trampoline should be assembled by an adult in accordance with assembly instructions and checked in every instance before use.
- . Only one user. Collision hazard.
- . Always close the net opening before jumping.
- . Remove footwear before jumping on the trampoline.
- . Do not use the mat / jumping bed when it is wet.
- . Empty pockets and hands before jumping.
- . Always jump in the middle off the mat / jumping bed.
- . Do not eat whilst jumping.
- . Do not exit by a jump.
- . Limit the time of continuous usage (make regular stops).
- . Do not use in strong wind conditions and secure the trampoline.
- . The net should be changed every 1 year.

### ADVISORY

- . This trampoline is not intended to be buried in the ground.
- . The following product dimension relate to this 12ft x 16ft Oval trampoline:
  - Height from ground to top rail: 89 cm
  - Height from ground to top of enclosure: 276cm
  - Height from top rail to top of enclosure: 187 cm
- . The trampoline must be placed on a level surface at least 2m from any structures or obstructions such as fence, garage, house, overhanging branches, laundry lines or electrical wires.
- . Do not install the trampoline over concrete, asphalt or any other hard surface not at proximity of other conflicting installation, such as paddling / swimming pools, swings, slides or climbing frames.
- . Inspect trampoline / enclosure net before each use. Any damaged or worn parts must be replaced before using the trampoline.
- . If an access ladder is used it should be removed when trampoline is not in use.
- . Make sure there are no children / animals / obstructions underneath the trampoline.
- . Access the trampoline through the door of the enclosure net only. Making sure you securely close it before bouncing.
- . Please don't use when it's windy or rainy as this can cause you slip and become injured.
- . Don't intentionally rebound off the enclosure net as this will weaken it.
- . Only attach manufacturer approved accessories to the trampoline and enclosure net.
- . Always jump in the middle of the mat and practice bounce techniques safety with adult supervision and guidance.
- . Jump without shoes.
- . In certain countries during winter period, the snow load and the very low temperature can damage the trampoline. It is recommended to remove the snow and store the mat and the enclosure indoors.

## CARE & MAINTENANCE

Regular care and maintenance of your trampoline is required. This will help prolong its life and reduce the possibility of injury. Neglecting this can lead to a risk for users.

Inspect your trampoline before each use using the checklist below as a guide. Take particular care in doing this at the start of each season and at regular intervals. Ensure all parts are intact and cannot become dislodged during play, tighten any screws or nuts and bolts where required.

**IMPORTANT:** If any faults are found, the trampoline **MUST NOT BE USED**. We advise that the trampoline is dismantled and placed in a dry place until new parts are fitted.

PART	CHECKLIST	OK	NOT OK
All Parts	Securely attached		
	Correctly positioned		
	No sharp edges or points present		
	No missing parts		
Springs	No damage ( <i>bent / broken</i> )		
	No missing parts		
Frame / Enclosure Poles	No bent parts		
	No damage		
Bed / Enclosure Net / Frame Pad / Foam Tubes	No missing parts (e.g. V-rings / Ties / Zips etc.)		
	No sagging		
	No damage (Holes / Rips / Fraying / Tearing)		

### Looking after your trampoline:

Excess weight and improper use of the trampoline may damage it.

- **Keep trampoline clean.** If any part becomes dirty, clean with a damp cloth and dry thoroughly. Do not use any abrasive cleaners as this could damage the product.
- **Store enclosure net and frame pad in a dry place when not in use.** Prolonged exposure to sun and harsh weather can shorten its life.
- **Keep bed in good condition by protecting it with a cover** (*available to buy from our website*). Common damage can be caused by water pooling, garden/outdoor debris landing on it, sparks from nearby bonfires or firework displays landing on it.
- **Keep animals/pets away from the trampoline**, their claws can damage it.
- **Protect from high winds.** A trampoline can act like a sail in strong winds. It can be blown over which can cause damage to the frame and surrounding areas. We recommend that it is moved to a sheltered location and secured to the ground (*tie-down kit available from our website*), or dismantled and stored away.
- **Dismantle and store away in a dry place if not being used for long periods.** Follow assembly instructions in reverse order making sure the springs are removed before dismantling frame.
- **Take care when moving trampoline.** To be lifted by 2 people. Lift slightly off the ground, keeping the frame horizontal. Never drag to move it as this can displace parts. Always check that parts are positioned correctly after moving.


## BUILDING YOUR TRAMPOLINE

1. This is a 2 person build.
2. Time for build is approximately 2 hours.
3. Choose a good location:
  - On a level surface that is soft(*wood chippings, sand or grass*).
  - Ensure adequate overhead clearance. A minimum of 24ft(7.3m) from ground level, away from wires, trees and other possible hazards.
  - Ensure a clear space of 8.2ft(2.5m) around sides, away from walls, fences, structures, tarmac and other hard surfaces and play areas.


## WHAT YOU WILL NEED




Description:  
**Drill with  
philips bit**



Description:  
**Gloves**




















Description:  
**Safety glasses**




Description:  
**Rubber Mallet**

# PARTS LIST

<p>Part <b>A</b></p>  <p>Description: <b>Top tube with A marking</b></p> <p>Quantity: <b>4</b></p>	<p>Part <b>B</b></p>  <p>Description: <b>Top tube with B marking</b></p> <p>Quantity: <b>4</b></p>	<p>Part <b>C</b></p>  <p>Description: <b>Top tube with C marking</b></p> <p>Quantity: <b>2</b></p>	<p>Part <b>D</b></p>  <p>Description: <b>Top tube with D marking</b></p> <p>Quantity: <b>2</b></p>	<p>Part <b>E</b></p>  <p>Description: <b>L legs</b></p> <p>Quantity: <b>8</b></p>
<p>Part <b>F</b></p>  <p>Description: <b>V legs</b></p> <p>Quantity: <b>4</b></p>	<p>Part <b>G</b></p>  <p>Description: <b>Spring tool</b></p> <p>Quantity: <b>1</b></p>	<p>Part <b>H</b></p>  <p>Description: <b>21.5 cm Springs</b></p> <p>Quantity: <b>118</b></p>	<p>Part <b>I</b></p>  <p>Description: <b>Stitched bed</b></p> <p>Quantity: <b>1</b></p>	<p>Part <b>J</b></p>  <p>Description: <b>Frame pad</b></p> <p>Quantity: <b>1</b></p>
<p>Part <b>K</b></p>  <p>Description: <b>Bottom enclosure poles</b></p> <p>Quantity: <b>8</b></p>	<p>Part <b>L</b></p>  <p>Description: <b>Top enclosure poles</b></p> <p>Quantity: <b>8</b></p>	<p>Part <b>M</b></p>  <p>Description: <b>Black G4 poles</b></p> <p>Quantity: <b>2</b></p>	<p>Part <b>N</b></p>  <p>Description: <b>Enclosure netting</b></p> <p>Quantity: <b>1</b></p>	<p>Part <b>O</b></p>  <p>Description: <b>Self tapping screws and spring washers</b></p> <p>Quantity: <b>24</b></p>
<p>Part <b>P</b></p>  <p>Description: <b>Cords</b></p> <p>Quantity: <b>8</b></p>	<p>Part <b>Q</b></p>  <p>Description: <b>Cap connector</b></p> <p>Quantity: <b>8</b></p>			


## STEP 1 : ASSEMBLING THE FRAME

**A**  
**B**  
**C**  
**D**



You will need the following parts to complete section 1:

- 4 x Top tube with A marking
- 4 x Top tube with B marking
- 2 x Top tube with C marking
- 2 x Top tube with D marking
- 8 x L legs
- 4 x V legs



Self tapping screw and washer

Drill



16 x Self tapping screws and washers

You will also need a battery powered drill with the correct bit.




First you will need to assemble the leg bases of your OvalPOD. This will require 2 x L-legs and 1 x V Leg.

**Note:** Do not screw the sections together yet.

Lay out the 2 x L-legs and 1 x Centre Leg so that it makes a 'W' shape. Join the three pieces so the screw holes line up. Use drill to attach screws.

Repeat this step with the remaining pieces to make 4 x 'W Legs'. Leave to one side when finished.

Assemble 1 (A, B)



Layout Top Rail A and Top Rail A upside down.




Insert 1 end of W-leg partially into Connector A.

Next place feet either side of POD-Connector B.

Then pull other end of W-leg into POD-Connector B. (You will need to use force for this step)

Now push down on W-leg so inserted fully in each POD-connector.


Repeat with other W-Legs



Now you have 4 completed segments

2 x Assembly 1 (ABC)


You will need two people for this next step.



Turn over 1 x Assembly 1 (ABC) and 1 x Assembly 1 (DEF)

Join by inserting C into POD-connector D. (Make sure spring hole lines up with gap in connector)


Repeat this step so you are left with 2 halves of Trampoline



Carefully join the 2 halves together.

For the last section, you will need someone to stand on the opposite side if the frame and push towards you whilst you insert Top-rail into POD-Connector.


## STEP 3 : FITTING THE STITCHED BED




**This step will require 2 people who must be wearing gloves and protective eye wear.**

Lay the stitched bed (*with the V-Rings*) out inside the frame of the trampoline with the warning labels facing upwards.

Colored webbing




Locate the V-rings with colored webbing. These will be at 180° to each other.



Slot one of the springs onto one of the colored webbing V-rings as shown.

**Important:** springs must be slotted on the right way around.





Slot the other end of the spring into one of the spring slots in the top of the frame.

**IMPORTANT:** Ensure the spring is fully inserted into the slot on the top of the frame.




This diagram shows the initial order of spring attachment.




Attach springs in the order shown above. Begin with nr 1 and gradually work your way towards nr 8 on the middle of the long side. When this is done, attach one spring between 2 existing springs. Do this all the way around the frame. Keep doing so until all the springs are attached.

## STEP 4 : FITTING THE FRAME PAD




**This step will require 2 people.**


Lay the frame pad - **Part K** out over the edge of the frame with the ties facing downwards.



Align the openings in the frame pad with the POD-connector's on the frame.



Tie the outer elastic straps on the underside of the frame pad around the top tubes of the frame.



The frame pad is now fitted and you have completed step 4.


**WARNING:** The trampoline **MUST NOT** be used during construction.

## STEP 5 : FITTING THE ENCLOSURE TUBES


Top enclosure tube



Bottom enclosure tube



Self tapping screw and washer



Drill


You will need the following parts to complete step 5:

8 x Top enclosure tubes


8 x Bottom enclosure tubes

8 x Self tapping screws and washers


You will also need the drill.





Slot the thin end of one of the bottom enclosure tubes into the open end of one of the top enclosure tubes.





Align the hole in the bottom enclosure tube with the slot in the top enclosure tube.




Screw one of the self tapping screws through the slot in the top enclosure tube and into the hole in the bottom enclosure tube using drill.




Slot the bottom enclosure tube into the tubes in the POD-connector tubes visible through the slots in the frame pad.



Assemble the remaining enclosure tubes using the self tapping screws and drill.




Slot the remaining enclosure tubes into the remaining POD-connector's on the frame.



The enclosure tubes are now fitted and you have completed step 5.


## STEP 6 : FITTING THE ENCLOSURE NETTING




You will need the following parts to complete step 6:

2 x Black G4 poles

1 x Enclosure netting




Lay the enclosure netting out on the trampoline.




Find the sleeves that run along the top of the enclosure netting.






Slot one of the Black G4 poles through three of the sleeves on the top of the enclosure netting.




Slot the remaining Black G4 poles through the three other sleeves on the top of the enclosure netting.



You will now join the two ends of the Black G4 poles together with the fitted pole connectors, this will require two people.


Both people hold two of the poles end sections and walk towards each other to bend the poles into a circle.




As soon as the poles are bent enough, insert the connectors into the socket on the other pole (1).

Push the pin inwards (2) and fully insert the connector.


Ensure the pin is protruding through the slot in the socket.




You may need to slide the connected poles around in the nettings sleeves until the thin black sections are aligned with the gaps between sleeves.



Stand on the trampoline and insert one of the exposed sections of the Black G4 pole into a plastic grip on top of one of the enclosure tubes.




Attach the other exposed sections of the Black G4 pole to the other enclosure tubes in the order shown in the diagram.




The enclosure net is now fitted on top and you have completed Step 6



## STEP 7 : ATTACHING THE BOTTOM OF THE NET




You will need the following parts to complete step 7:  
8 x Cords



Push 1 end of a cord through a hole in the bottom of the netting.

Then tie this end to a V-ring on the bed.


**Important:** Keep the cord tight at all times.



Slot the other end of the cord through the next V-ring.

Then slot back through the net and into the next V-ring. Continue to do this until you have used most of that cord and tie end to next V-ring.

Tie another cord to same V-ring and repeat until net is sewn in.




From the underside of the trampoline, tie the remaining elastic straps around the springs or through the V-Rings.

You have completed step 7 and the trampoline is fully assembled.




## USING THE TRAMPOLINE



Before using your trampoline, check again that there is enough clearance around it. Maintain a clear space of 2.5 metres (8.2 feet) on all sides of the trampoline.

Also check that the area is free from walls, structures, fences, tarmac and other hard surfaces and other play areas.



Ensure that there is 7.3 metres (24 feet) clearance above the trampoline.

Also check that there are no overhanging objects in the area above the trampoline.



To enter the trampoline, step between the overlapping doors and walk in. (Do not crawl)